

Launching - VT850 tread

Introducing the new VT850 tread, the first of Vipamold line recommended for vehicles such as motorgraders, wood grabber loader and loaders. In addition to excellent performance in extreme driving conditions, its design allows excellent traction power and self-cleaning, essential characteristics in off-the-road applications. The groove's sculpture minimizes the retention of rocks and objects, preventing tire damage. The tread has M+S marking, that guarantees its high performance in mud and snow conditions. Also, a wear indicator that indicates when the tyre should be retread.



VT850 means:




V	Vipal tread
T	Tread recommended for use in drive axles
850	Hundred 800 represents a tread for off-road use on radial tires

Technical information:

Code	Description	N#							 Recommended tyre
			mm	in	kg / m	lb / ft	mm	in	
440342	VT850	12.0	300	11 3/4	8,02	5.39	30,00	38/32	315 335 355 365 385 12.5 13.0 14.0
440343	VT850	12.5	320	12 5/8	8,63	5.80	30,00	38/32	385 405 425 15.5
440344	VT850	13.5	340	13 3/8	9,17	6.16	30,00	38/32	425 445 16.9 17.5
440345	VT850	15.0	395	15 1/2	10,91	7.33	30,00	38/32	445 455 17.5 18.0

Check out the main features of the new design:



-  Grooves designed to enable self-cleaning of the tread.
-  Blocks designed to excellent mileage performance in extreme driving conditions, excellent traction power and self-cleaning of the tread.
-  Wear indicator that identifies the suggested moment of the tread removal for better maintenance of the tyre's recapability.

- M+S marking that guarantees good performance in mud and snow conditions.

ABOUT RUBBER



08/2020

N# 1307

Recommended application



Off-road

Construction



Radial



Mud and Snow

Axles



Drive


Vehicles



Medium duty Truck
(Tandem axle)



Single Axle Tractor Truck



Medium Duty Truck



Motorgrader



Loader



Wood Grabber Loader



Industrial



Industrial Forklift